

To: West, John[John.West@WestonSolutions.com]
Cc: Dhieux, Joyel[Dhieux.Joyel@epa.gov]
From: Adamczyk, Megan
Sent: Mon 8/17/2015 2:24:57 AM
Subject: RE: Animas-LaPLata Project - Durango Pumping Plant Intake Structure Sampling
LabResults 08-12-15.xlsx

John,

Do you know if the location described below was called Durango Intake? Collected on 8/6/15.

I assume so and I have attached validated data for that sample.

Megan

From: Dhieux, Joyel [mailto:Dhieux.Joyel@epa.gov]
Sent: Sunday, August 16, 2015 5:10 PM
To: West, John; Miller, Marc
Cc: Adamczyk, Megan
Subject: Re: Animas-LaPLata Project - Durango Pumping Plant Intake Structure Sampling

Hi Marc,

We'll let you know when we have the results back and we'll make sure you get them as soon as possible. As John mentioned, it takes about a week.

Joyel

.....

Joyel Dhieux

Federal On-Scene Coordinator

U.S. EPA Region 8

Tel: 303-312-6647

Cell: 720-441-9961

From: West, John <John.West@WestonSolutions.com>
Sent: Sunday, August 16, 2015 5:05 PM
To: Miller, Marc
Cc: Dhieux, Joyel; Adamczyk, Megan
Subject: RE: Animas-LaPLata Project - Durango Pumping Plant Intake Structure Sampling

We are currently looking at a little over a one week turn-around for validated data. The Unified Command has to be the group to release the data.

[John West, PE CHMM PMP](#) | Project Engineer | US EPA START Contractor |

[Weston Solutions, Inc.](#) | 1435 Garrison Street, Suite 100, Lakewood, CO 80215 |

John.West@westonsolutions.com | O: 303-729-6148 | M: 303-748-3304 |

From: Miller, Marc [<mailto:mbmiller@usbr.gov>]
Sent: Sunday, August 16, 2015 4:34 PM
To: West, John <John.West@WestonSolutions.com>
Subject: Animas-LaPLata Project - Durango Pumping Plant Intake Structure Sampling


John, thank you for your support in the sampling efforts at the Durango Pumping Plant intake structure, any word on when the results might be available? Thanks!

Marc Miller, P.E. | Civil Engineer | Southern Water Management Team

USBR Western Colorado Area Office - Durango

185 Suttle Street Suite 2 Durango, CO 81303 | mbmiller@usbr.gov

970-385-6541 (office) | 970-238-0389 (mobile) | 970-385-6539 (fax)



CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.